



**DESIGNED, INSTALLED AND PERFORM
EXACTLY AS YOU INTENDED**



Tectite

METAL PUSH-FIT

**Visit www.tectite-fittings.co.uk to
take the Tectite Test or to find
your nearest merchant.**

Pegler Yorkshire Group Ltd
St Catherine's Avenue
Doncaster
South Yorkshire
DN4 8DF


Pegler Yorkshire

Tectite

METAL PUSH-FIT



DESIGN WITHOUT CONCESSION




Pegler Yorkshire



WHEN THERE'S NO ROOM FOR ERROR, ENSURING THE BEST POSSIBLE OUTCOME MEANS SELECTING THE BEST AVAILABLE SOLUTION RIGHT FROM THE START ...A SOLUTION THAT WILL BE INSTALLED CORRECTLY, PERFORM IMPRESSIVELY AND WILL LOOK GOOD TOO. THAT'S WHY WE DEVELOPED TECTITE METAL PUSH-FIT FOR PROFESSIONALS.

Tectite is a proven technology – tried-and-tested in our Tectite Lab and over many years in a wide range of large and small commercial applications. Our proactive support, training and 're-skilling' programme delivered by the Tectite team at Pegler Yorkshire means the highest standards of on-site workmanship always come as standard. Put simply, Tectite won't let you down.

Visit www.tectite-fittings.co.uk to take the Tectite Test or to find your nearest merchant.

CONFIDENCE NOT COMPROMISE

All the strength and performance of metal with none of the complexity.

All the convenience and efficiency of plastic push-fit with none of the compromise.

All Together Better



ALL TOGETHER BETTER

Bringing the best of all worlds together in one place, that's the Tectite Way.

- Installed cost savings – joints made in a fraction of the time
- Heat Free – no hot work, so no risk of collateral damage to fixtures and fittings
- Flux free – less mess, less flush cleaning and less risk to heat exchangers and radiator valves
- Rotatable Joint – makes working in confined spaces easier
- Compatibility with Pipe Materials – Copper, Stainless, Carbon, PEX and PB
- Consistent Visual Appeal – no verdigris, running solder or heat blackening
- Low Profile – attractive and easy to insulate
- High Performance – push fitting without compromising temperature and pressure capability: MOP 10bar @ 114°C.
- Metal Body – resists rodent attack

