




Chromium plated push-fit solutions



Chrome plated push-fit for copper and plastic


Manufactured from copper and DZR brass, Tectite Sprint is ideal for use on hot and cold-water services, in low-temperature hot water and heating.



TT1 Straight coupling

Size	a	Za	Order code
10mm	34	2	75836
12mm	36	2	75837
15mm	36	2	75838


Suitable for: Push fit x push fit



TT1R Reducing coupling

Size	a	Za	Order code
15 x 10mm	41	8	75840
15 x 12mm	39	7	75841


Suitable for: Push fit x push fit



TT2 Straight female connector

Size	a	Za	S	Order code
12mm x 1/2"	35.5	6.5	25	75842
15mm x 1/2"	34	17	24.5	75843


Suitable for: Push fit x BSP parallel female thread



TT3 Straight male connector

Size	a	Za	S	Order code
10mm x 1/2"	34.5	19.5	22	75844
12mm x 3/8"	32	16.5	22	75845
12mm x 1/2"	34.5	19	22	75846
15mm x 1/2"	37	20	21	75847


Suitable for: Push fit x BSP taper male thread



TT6 Reducer

Size	a	Za	Order code
15 x 10mm	37	21	75848
15 x 12mm	37	21.5	75849
22 x 15mm	39	22	75850

Suitable for: Reducer larger end male for insertion into fitting x push fit



TT12 Elbow

Size	a	Za	Order code
10mm	28	12	75851
12mm	32	15.5	75852
15mm	35	18	75853
22mm	44.5	26.5	75854

Suitable for: Push fit x push fit

Tee specification




- For jointing plain and chrome plated copper tube to BS EN 1057, PEX - including Tectite PEX - and PB plastic pipes to BS 7291
- Guaranteed for 30 years against manufacturing defects when installed exclusively with Tectite PEX or Yorkex Copper Tube from Yorkshire Copper Tube Ltd, or for 25 years when used with other products

TT13 Male elbow

Size	a	b	Za	Order code
15mm x 1/2"	25.5	29	8.5	75855


Suitable for: Push fit x BSP taper male thread



TT14 Female elbow

Size	a	b	Za	Zb	Order code
15mm x 1/2"	27	25	10	10	75856


Suitable for: Push fit x BSP parallel female thread



TT15 Backplate elbow

Size	a	b	c	Za	Zb	Order code
12mm x 1/2"	43.5	26	17	9.5	14	75857
15mm x 1/2"	41.5	27	17.5	10	10	75858


Suitable for: Backplate elbow push fit x BSP parallel female thread



TT24 Equal tee

Size	a	b	Za	Order code
10mm	46.5	23	7	75859
12mm	52	25.5	9	75860
15mm	52.5	26	9	75861
22mm	62.5	31	13	75862


Suitable for: Push fit all ends



TT25 Tee, reduced branch

Size UK	European	a	b	Za	Zb	Order code
15 x 15 x 10mm	15 x 10 x 15mm	48	25	7	9	75863
15 x 15 x 12mm	15 x 12 x 15mm	49	27.5	8.5	11	75864
22 x 22 x 15mm	22 x 15 x 22mm	54	30.5	9	13.5	75865

Suitable for: Push fit all ends



TT61 Stop end

Size	a	Order code
10mm	16	75866
12mm	18	75867
15mm	17	75868

Suitable for: Push fit end for use on tube



T115 Tectite Sprint deburring/scribe tool

Size	Order code
10-28mm	75640





Pegler Yorkshire

connect & control

Our brands:



HEATING SOLUTIONS



PRESS-FIT SOLUTIONS



PUSH-FIT SOLUTIONS



COMPRESSION SOLUTIONS



END FEED SOLUTIONS



PLASTIC PIPE SOLUTIONS



DOMESTIC VALVE SOLUTIONS



COMMERCIAL VALVE SOLUTIONS



ENERGY EFFICIENT SOLUTIONS



TECHNICAL TAP SOLUTIONS



SOLDER RING SOLUTIONS



BATHROOM & KITCHEN SOLUTIONS

UK sales

Free Phone: 0800 156 0010

Free Fax: 0808 156 1011

Email: uk.sales@pegleryorkshire.co.uk

Export

Tel: +44 (0) 1302 855 656

Fax: +44 (0) 1302 730 513

Email: export@pegleryorkshire.co.uk

Technical Help

Free Phone: 0800 156 0050

Free Fax: 0808 156 1012

Email: tech.help@pegleryorkshire.co.uk

Brochure Hotline

Free Phone: 0800 156 0020

Free Fax: 0808 156 1011

Email: info@pegleryorkshire.co.uk

www.pegleryorkshire.co.uk

Follow us on:



Registered in England Company No. 00401507

Registered Office: Haigh Park Road, Stourton, Leeds, West Yorkshire, LS10 1RT, England.

All brand names and logo styles are registered trademarks. Maintaining a policy of continual product development, Pegler Yorkshire reserves the right to change specifications, design and materials of products listed in this publication without prior notice.

LIT.REF: 880144.06.11



Pegler Yorkshire Group Limited

St. Catherine's Avenue, Doncaster,
South Yorkshire, DN4 8DF, England.

Tel: 0844 243 4400 Fax: 0844 243 9870